	Application No.	Applicant(s)		
Notice of Allowability	10/650,627	FALCONER, DARCY RAYMOND		
	Examiner	Art Unit		
	James M. Hewitt	3679		
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THIS</b>	
1. This communication is responsive to <u>communication filed</u>	<u> 10/17/05 &amp; 11/9/05</u> .			
2. The allowed claim(s) is/are 11-18, 20-28 and 30 which will	appear as claims 1-18 respectively v	when the patent issue	<u>.</u>	
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority ur</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).</li> </ul>	e been received. e been received in Application No		tion from the	
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			IOTICE OF	
5. CORRECTED DRAWINGS ( as "replacement sheets") mus	st be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached				
1)  hereto or 2)  to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			e back) of	
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. I AL MATERIAL.	Note the	
			·	
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Summary Paper No./Mail Dat 08), 7. ☑ Examiner's Amenda 8. □ Examiner's Stateme	<ul> <li>5. ☐ Notice of Informal Patent Application (PTO-152)</li> <li>6. ☑ Interview Summary (PTO-413),     Paper No./Mail Date</li></ul>		
-	9.	JAMES M. H PRIMARY EX	EWITT AMINER	

Application/Control Number: 10/650,627

Art Unit: 3679

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Pete Sommer on 12/20/05.

The application has been amended as follows:

In claim 11 line 3, the comma after "terminating" has been deleted.

In claim 18 lines 2-4, the phrase "the opposite end surfaces...to rotatably connect the same" has been replaced with the phrase --one end face of each segment has a slot and wherein the facing end face of the adjacent coupler has a lug received in said slot to rotatably connect the same--.

Claim 19 has been canceled.

In claim 20 line 1, "19" has been replaced with --18--.

In claim 21 lines 11-12, the phrase "member, and, when present," has been replaced with --member and--.

In claim 28 lines 2-4, the phrase "the opposite end surfaces... to rotatably connect the same" has been replaced with the phrase --one end face of each segment has a slot and wherein the facing end face of the adjacent coupler has a lug received in said slot to rotatably connect the same--.

Claim 29 has been canceled.

Application/Control Number: 10/650,627

Art Unit: 3679

In claim 30 line 1, "29" has been replaced with --28--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James M. Hewitt whose telephone number is 571-272-7084.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Stodola can be reached on 571-272-7087. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JAMES M. HEWITT PRIMARY EXAMINER

Page 3